IN THE CLAIMS

Please amend claims 1-3, and add new claims 4-8 as follows:

1. (Currently Amended) A method of amplifying an envelope-defective retrovirus by exposing said-retrovirus to a comprising:

contacting an indicator cell comprising a virus envelope gene integrated into the genome of the indicator cell with an exogenous envelope-defective retrovirus,

wherein virus envelope encoded by said gene complements said retrovirus.

- 2. (Currently Amended) The method of claim 1, wherein said virus envelope is expressed at the surface of carried by a virus particle produced by said indicator cell.
- 3. (Currently Amended) The method of claim 1, wherein said virus envelope is expressed by said indicator cell.
- 4. (New) The method of claim 1, wherein the virus envelope gene is vesicular stomatitis virus protein G (VSVG).
- 5. (New) The method of claim 1, wherein the retrovirus comprises an immunodeficiency virus.
- 6. (New) The method of claim 1, wherein the retrovirus comprises human immunodeficiency virus (HIV).
- 7. (New) The method of claim 1, wherein expression of the envelope gene is controlled by an inducible promoter.
 - 8. (New) A method of detecting envelope-defective retrovirus comprising:
 - (a) amplifying an envelope-defective retrovirus by the method of claim 1; and
 - (b) detecting presence of recombinant viral particles produced by the indicator cell.